



Enterprises

# PRODUCTS CATALOG

Complete Range of Electrosurgical Instruments



*Symbol of Quality*



# European Bipolar Forceps

McPherson (Str.)

L= 9.0 cm

Tip 0.5 mm



10-001-05

McPherson (crv.)

L= 11.5 cm

Tip 0.5 mm



10-002-05

Jeweler # 5

L= 11.5 cm

Tip 0.0 mm



10-003-05

02

Adson

L= 12.1 cm

Tip 0.1 mm



10-006-05

Jeweler # 4

L= 11.5 cm

Tip 0.5 mm



10-007-05

Jeweler # 7

L= 11.5 cm

Tip 0.5 mm



10-008-05








Coaptation

L= 10.8 cm

Tip 0.5 mm



10-009-05

Coaptation Nadler		10-010-05
L= 10.2 cm		
Tip 0.5 mm		
Iris (Str.)		10-011-05
L= 10.2 cm		
Tip 0.5 mm		
Iris (crv.)		10-012-05
L= 10.8 cm		
Tip 1.0 mm		
Straight		10-016-05
L= 16.0 cm		
Tip 1.0 mm		
Straight		10-018-05
L= 18.0 cm		
Tip 1.0 mm		
Straight		10-020-05
L= 20.0 cm		
Tip 1.0 mm		
Straight		10-022-05
L= 22.0 cm		
Tip 1.0 mm		

# European Bipolar Forceps

Straight (Ang.)

L= 16.0 cm

Tip 1.0 mm



10-026-05

Straight (Ang.)

L= 18.0 cm

Tip 1.0 mm



10-028-05

Straight (Ang.)

L= 20.0 cm

Tip 1.0 mm



10-030-05

04

Straight (Ang.)

L= 22.0 cm

Tip 1.0 mm



10-032-05

Bayonet

L= 16.0 cm

Tip 1.0 mm



10-036-05

Bayonet

L= 18.0 cm

Tip 1.0 mm



10-038-05








Bayonet

L= 20.0 cm

Tip 1.0 mm



10-040-05

Bayonet (Ang.Up)		10-046-10
L= 16.0 cm		
Tip 1.0 mm		
Bayonet (Ang.Up)		10-048-10
L= 18.0 cm		
Tip 1.0 mm		
Bayonet (Ang.Up)		10-050-10
L= 20.0 cm		
Tip 1.0 mm		
Bayonet (Ang.Down)		10-056-10
L= 16.0 cm		
Tip 1.0 mm		
Bayonet (Ang.Up)		10-058-10
L= 18.0 cm		
Tip 1.0 mm		
Bayonet (Ang.Up)		10-060-10
L= 20.0 cm		
Tip 1.0 mm		
McPherson (Str.)		101-001-05
L= 9.0 cm		
Tip 0.5 mm		

# European Bipolar Forceps

McPherson (crv.)

L= 11.5 cm

Tip 0.5 mm



101-002-05

Jeweler # 5

L= 11.5 cm

Tip 0.5 mm



101-003-05

Jeweler # 5

L= 11.5 cm

Tip 0.5 mm



101-003-05

06

Jeweler # 7

L= 11.5 cm

Tip 0.5 mm



101-008-05

Adson

L= 12.1 cm

Tip 1.0 mm



101-006-05

Straight

L= 16.0 cm

Tip 1.0 mm



101-016-05








Straight

L= 18.0 cm

Tip 1.0 mm



101-018-05

<p>Straight</p> <p>L= 20.0 cm</p> <p>Tip 1.0 mm</p>		<p>101-020-10</p>
<p>Straight</p> <p>L= 22.0 cm</p> <p>Tip 1.0 mm</p>		<p>101-022-10</p>
<p>Straight (Ang.)</p> <p>L= 16.0 cm</p> <p>Tip 1.0 mm</p>		<p>101-026-10</p>
<p>Straight (Ang.)</p> <p>L= 18.0 cm</p> <p>Tip 1.0 mm</p>		<p>101-028-10</p>
<p>Straight (Ang.)</p> <p>L= 20.0 cm</p> <p>Tip 1.0 mm</p>		<p>101-030-10</p>
<p>Bayonet</p> <p>L= 16.0 cm</p> <p>Tip 1.0 mm</p>		<p>101-036-10</p>
<p>Bayonet</p> <p>L= 18.0 cm</p> <p>Tip 1.0 mm</p>		<p>101-038-10</p>

# European Bipolar Forceps

Bayonet

L= 22.0 cm

Tip 1.0 mm



101-040-10

Bayonet (Ang.Up)

L= 16.0 cm

Tip 1.0 mm



101-046-10

Bayonet (Ang.Up)

L= 18.0 cm

Tip 1.0 mm



101-048-10

08

Bayonet (Ang.Up)

L= 20.0 cm

Tip 1.0 mm



101-050-10

Bayonet (Ang.Down)

L= 16.0 cm

Tip 1.0 mm



101-056-10

Bayonet (Ang.Up)

L= 18.0 cm

Tip 1.0 mm



101-058-10

Bayonet (Ang.Up)

L= 20.0 cm

Tip 1.0 mm



101-060-10



## European Irrigation Bipolar Forceps

Straight

L= 16.0 cm

Tip 1.0 mm



101-016-10 IR

Straight

L= 20.0 cm

Tip 1.0 mm



101-020-10 IR

Bayonet

L= 16.0 cm

Tip 1.0 mm



101-036-10 IR

Bayonet

L= 20.0 cm

Tip 1.0 mm



101-040-10 IR

## European Non-Stick Bipolar Forceps

McPherson (Str.)

L= 9.0 cm

Tip 0.5 mm



10-001-05 NS

McPherson (crv.)

L= 11.5 cm

Tip 0.5 mm



10-002-05 NS

Jeweler # 5

L= 11.5 cm

Tip 0.5 mm



10-003-05 NS

10

Adson

L= 12.1 cm

Tip 1.0 mm



10-006-10 NS

Jeweler # 4

L= 11.5 cm

Tip 0.5 mm



10-007-05 NS

Jeweler # 7

L= 11.5 cm

Tip 0.5 mm



10-008-05 NS

Coaptation








L= 10.8 cm

Tip 0.5 mm



10-009-05 NS

## European Non-Stick Bipolar Forceps

Coaptation Nadler		10-010-05 NS
L= 10.2 cm		
Tip 0.5 mm		
Iris (Str.)		10-011-10 NS
L= 10.8 cm		
Tip 0.5 mm		
Iris (crv.)		10-012-10 NS
L= 10.8 cm		
Tip 1.0 mm		
Straight		10-018-10 NS
L= 18.0 cm		
Tip 1.0 mm		
Straight		10-019-10 NS
L= 20.0 cm		
Tip 1.0 mm		
Straight		10-020-10 NS
L= 20.0 cm		
Tip 1.0 mm		
Straight		10-022-10 NS
L= 22.0 cm		
Tip 1.0 mm		

## European Non-Stick Bipolar Forceps

Straight (Ang.)

L= 16.0 cm

Tip 1.0 mm



10-026-10 NS

Straight (Ang.)

L= 18.5 cm

Tip 1.0 mm



10-028-10 NS

Straight (Ang.)

L= 20.0 cm

Tip 1.0 mm



10-030-10 NS

12

Straight (Ang.)

L= 22.0 cm

Tip 1.0 mm



10-032-10 NS

Bayonet

L= 16.0 cm

Tip 1.0 mm



10-036-10 NS

Bayonet

L= 18.0 cm

Tip 1.0 mm



10-038-10 NS

Bayonet

L= 20.0 cm

Tip 1.0 mm



10-040-10 NS

## European Non-Stick Bipolar Forceps

Bayonet (Ang.Up)

L= 16.0 cm

Tip 1.0 mm



10-046-10 NS

Bayonet (Ang.Up)

L= 18.0 cm

Tip 1.0 mm



10-048-10 NS

Bayonet (Ang.Up)

L= 20.0 cm

Tip 1.0 mm



10-050-10 NS

13

Bayonet (Ang.Down)

L= 16.0 cm

Tip 1.0 mm



10-056-10 NS

Bayonet (Ang.Up)

L= 18.0 cm

Tip 1.0 mm



10-058-10 NS

Bayonet (Ang.Up)

L= 20.0 cm

Tip 1.0 mm



10-060-10 NS

# USA 2 Pin Bipolar Forceps

McPherson (Str.)

L= 9.0 cm

Tip 0.5 mm



08-001-05

McPherson (Crv.)

L= 9.0 cm

Tip 0.5 mm



08-002-05

Coaptation Nadler

L= 10.8 cm

Tip 0.5 mm



08-003-05

14

Coaptation

L= 10.8 cm

Tip 0.5 mm



08-004-05

Jeweler # 5

L= 11.0 cm

Tip 0.5 mm



08-005-05

Jeweler # 4

L= 11.5 cm

Tip 0.5 mm



08-006-05

Tenzel








L= 11.5 cm

Tip 0.5 mm



08-007-05

## USA 2 Pin Bipolar Forceps

Jeweler # 7		08-008-05
L= 11.5 cm		
Tip 0.5 mm		
Iris (Str.)		08-009-10
L= 10.8 cm		
Tip 0.5 mm		
Iris (Crv.)		08-010-10
L= 10.8 cm		
Tip 1.0 mm		
Adson		08-011-10
L= 12.1 cm		
Tip 1.0 mm		
Semkin		08-012-10
L= 14.0 cm		
Tip 1.0 mm		
Cushing		08-013-10
L= 16.0 cm		
Tip 1.0 mm		
Cushing		08-014-10
L= 11.5 cm		
Tip 1.0 mm		

# USA 2 Pin Bipolar Forceps

Cushing (Gursh)

L= 18.0 cm

Tip 1.0 mm



08--018-10

Gerald (Str)

L= 17.8 cm

Tip 1.0 mm



08--019-10

Gerald (Crv)

L= 17.8 cm

Tip 1.0 mm



08--020-10

16

Gerald Bayonet

L= 17.8 cm

Tip 1.0 mm



08--021-10

Jansen Bayonet

L= 15.0 cm

Tip 1.0 mm



08--027-10

Jansen Bayonet

L= 18.0 cm

Tip 1.0 mm



08--028-10

Malis





L= 17.8 cm

Tip 1.0 mm



08--026-10



Scollive Green-Wood		08-025-15
L= 19.1 cm		
Tip 1.5 mm		
Yasargil		08-022-10
L= 19.8 cm		
Tip 1.0 mm		
Hardy Bayonet		08-032-10
L= 12.5 cm		
Tip 1.0 mm		
Hardy Bayonet (Ang)		08-033-10
L= 21.5 cm		
Tip 1.0 mm		

## USA 2-Pin Non-Stick Bipolar Forceps

McPherson (Str)

L= 9.0 cm

Tip 0.5 mm



McPherson (Crv)

L= 9.0 cm

Tip 0.5 mm



Jewelery #5

L= 11.5 cm

Tip 0.5 mm



18

Jeweler # 4

L= 11.5 cm

Tip 0.5 mm



Adson

L= 12.1 cm

Tip 1.0 mm



Semkin

L= 14.0 cm

Tip 1.0 mm









Cushing

L= 16.0 cm

Tip 1.0 mm



## USA 2-Pin Non-Stick Bipolar Forceps

Cushing		08-014-10-NS
L= 18.0 cm		
Tip 1.0 mm		
Gerald Bayonet		08-021-10-NS
L= 17.8 cm		
Tip 1.0 mm		
Jansen Bayonet		08-028-10-NS
L= 18.0 cm		
Tip 1.0 mm		
Scollive Green-Wood		08-25-15-NS
L= 19.1 cm		
Tip 1.5 mm		
Yasargil		08-022-10-NS
L= 19.8 cm		
Tip 1.0 mm		
Hardy Bayonet		08-032-10-NS
L= 21.5 cm		
Tip 1.0 mm		

# USA 2 Pin Bipolar Forceps

Semkin

Irrigation



09-012-IR

Gerald Bayonet

Irrigation



09-020-IR

Jansen Bayonet

Irrigation



09-026-IR

Scollive Green-Wood

Irrigation



09-031-IR









Hardy Bayonet

Irrigation



09-037-IR

## SilverGlide Non-Stick Bipolar Forceps

McPherson (Str.)		08-001-05FNS
L= 9.0 cm		
Tip 0.5 mm		
McPherson (Crv.)		08-002-05FNS
L= 9.0 cm		
Tip 0.5 mm		
Jeweler # 5		08-005-05FNS
L= 11.5 cm		
Tip 0.5 mm		
Adson		08-011-10FNS
L= 12.1 cm		
Tip 1.0 mm		
Cushing (Str.)		08-016-10FNS
L= 16.0 cm		
Tip 1.0 mm		
Jansen Bayonet		08-028-10FNS
L= 18.0 cm		
Tip 1.0 mm		
Jansen Bayonet		08-030-10FNS
L= 20.0 cm		
Tip 1.0 mm		
Bayonet Full Non-Stick		30-036-10FNS
L= 16.0 cm		
Tip 1.0 mm		

## SilverGlide Non-Stick Bipolar Forceps

Bayonet Full Non-Stick

L= 18.0 cm

Tip 1.0 mm



30-038-10FNS

Bayonet Full Non-Stick

L= 20.0 cm

Tip 1.0 mm



30-040-10FNS

Bayonet Full Non-Stick

L= 22.0 cm

Tip 1.0 mm



30-042-10FNS

Bayonet (Irrigation)

L= 20.0 cm

Tip 1.0 mm



10-040-10FNS IR

Bayonet (Irrigation)

L= 22.0 cm

Tip 1.0 mm



10-042-10FNS IR

Bayonet Full Non-Stick

L= 22.0 cm

Tip 1.0 mm



10-042-10FNS

Bayonet Full Non-Stick

L= 22.0 cm

Tip 0.5 mm



48-022-05 FNS

Bayonet Full Non-Stick









L= 24.0 cm

Tip 1.0 mm



58-024-10 FNS

## SilverGlide Non-Stick Bipolar Forceps

Jeweler # 5 L= 11.5 cm Tip 0.5 mm		10-005-05FNS
Jeweler # 5 L= 11.5 cm Tip 0.5 mm		10-006-05FNS
Straight Full Non-Stick L= 12.0 cm Tip 1.0 mm		10-012-10FNS
Straight (Ang.) L= 16.0 cm Tip 1.0 mm		10-026-10FNS
Bayonet Full Non-Stick L= 18.0 cm Tip 1.0 mm		10-038-10FNS
Bayonet Full Non-Stick L= 20.0 cm Tip 1.5 mm		10-040-15FNS
Bayonet Full Non-Stick L= 22.0 cm Tip 1.5 mm		10-042-15FNS
Bayonet Full Non-Stick L= 22.0 cm Tip 1.0 mm		10-044-10FNS

## Single Use USA 2-Pin Bipolar Forceps

Gerald Straight

Single Use



08-019S

Jansen Bayonet

Irrigation



08-028 IRS

Jansen Bayonet

Single Use



08-030S

24

Jeweler # 5

Single Use



08-005S

Adson Forceps

Single Use



08-011S

Cushing Forceps

Size: 16.0 cm

Tip: 1.0 mm



08-016S

Jansen Bayonet ang-up

Size: 20.0 cm









Tip: 1.0 mm



08-042S



## SilverGlide Non-Stick Bipolar Forceps

Jeweler # 5 L= 11.5 cm Tip 0.5 mm		10-005-05FNS
Jeweler # 5 L= 11.5 cm Tip 0.5 mm		10-006-05FNS
Straight Full Non-Stick L= 12.0 cm Tip 1.0 mm		10-012-10FNS
Straight (Ang.) L= 16.0 cm Tip 1.0 mm		10-026-10FNS
Bayonet Full Non-Stick L= 18.0 cm Tip 1.0 mm		10-038-10FNS
Bayonet Full Non-Stick L= 20.0 cm Tip 1.5 mm		10-040-15FNS
Bayonet Full Non-Stick L= 22.0 cm Tip 1.5 mm		10-042-15FNS
Bayonet Full Non-Stick L= 22.0 cm Tip 1.0 mm		10-044-10FNS

## Single Use USA 2-Pin Bipolar Forceps

Jansen Bayonet

Size: 18.0 cm

Tip: 1.0 mm



08-028S

Jeweler # 4

Size: 11.5 cm

Tip: 0.5 mm



08-004S

26

Adson Forceps

Size: 12.1 cm

Tip: 1.0 mm



18-011S

Jansen Bayonet

Size: 18.0 cm

Tip: 1.0 mm



18-028S

Jansen Bayonet

Size: 20.0 cm

Tip: 1.0 mm



18-030S

## Single Use European Bipolar Forceps

Bayonet Forceps

Size: 18.0 cm

Tip: 1.0 mm



10-038S

Bayonet Forceps

Size: 20.0 cm

Tip: 1.0 mm



10-040S

Straging Forceps

Size: 20.0 cm

Tip: 1.0 mm



10-020S

Straight Forceps (ang)

Size: 14.0 cm

Tip: 1.0 mm



10-024S

Straight Forceps

Size: 14.0 cm

Tip: 1.0 mm



10-014S

## Single Use USA 2-Pin Bipolar Forceps

Jeweler # 5

Single Use



10-003S

Straight Forceps

Single Use



10-020S

28

Bayonet Forceps

Single Use



10-040S

Straight Forceps

Single Use



10-019S

Straight Forceps (ang)

Single Use



10-030S



**Silicone Monopolar Cables 10" (3.0m)**  
SB-1501  
Instrument Connector: Screw Type  
Generator Connector: Standard Bovie 8.0mm Plug  
Compatibility: Valleylab, Conmed, Bovie



**Silicone Monopolar Cables 10" (3.0m)**  
SB-1502  
Instrument Connector: 4.0mm Male Fitting  
Generator Connector: Standard 4.0mm Banana Plug  
Compatibility: Valleylab, Conmed & All ES Generators



**Silicone Monopolar Endoscopic Cable 10" (3.0m)**  
SB-1503  
Instrument Connector: 4.0mm Female Plug  
Generator Connector: Standard Bovie 8.0mm Plug  
Compatibility: Valleylab, Conmed, Bovie



**Silicone Monopolar Endoscopic Cable 10" (3.0m)**  
SB-1504  
Instrument Connector: 4.0mm Female Plug  
Generator Connector: Standard 4.0mm Banana Plug  
Compatibility: Valleylab, Conmed & All ES Generators



**Silicone Diathermy Cable 10" (3.0m)**  
SB-1505  
Instrument Connector: 4.8mm Male Fitting  
Generator Connector: Standard Bovie 8.0mm Plug  
Compatibility: Valleylab, Conmed, Bovie



**Silicone Diathermy Cable 10" (3.0m)**  
SB-1506  
Instrument Connector: 4.8mm Male Fitting  
Generator Connector: Standard 4.0mm Banana Plug  
Compatibility: Valleylab, Conmed & All ES Generators

# Bipolar Forceps Cables



## Silicone Bipolar Cables 10" (3.0m) SB 2501

Instrument Connector: USA 2-Pin Plug  
Generator Connector: 4.0mm Banana Plug  
Compatibility: Valleylab, Conmed, Codman, Olympus and Mbst Bipolar Generator



## Silicone Bipolar Cables 10" (3.0m) SB 2502

Instrument Connector: European Flat Plug  
Generator Connector: Martin Type  
Compatibility: Aesculap, Martin, Wolf, Berchold



## Silicone Bipolar Cables 10" (3.0m) SB 2503

Instrument Connector: European Flat Plug  
Generator Connector: 4.0mm Banana Plug  
Compatibility: Valleylab, Conmed, Codman, Olympus & Mbst Bipolar Generator



## Silicone Bipolar Cables 10" (3.0m) SB 2504

Instrument Connector: USA2-Pin Plug  
Generator Connector: Martin Type  
Compatibility: Aesculap, Martin, Wolf, Berchold



## Silicone Bipolar Cables 10" (3.0m) SB 2505

Instrument Connector: USA2-Pin Plug  
Generator Connector: Erbe Type  
Compatibility: Eibe, Siemens, Downs



## Silicone Bipolar Cables 10" (3.0m) SB 2506

Instrument Connector: USA2-Pin Plug  
Generator Connector: Pin Distance 29.0mm  
Compatibility: Valleylab, EMS, Dolley

## Silicone Bipolar Cables 10" (3.0m) SB 2507

Instrument Connector: European Flat Plug  
Generator Connector: Pin Distance 29.0mm  
Compatibility: Valleylab, EMS, Dolley






**Turner Warwick Scissor**  
(Straight)  
SB-05-001



**Turner Warwick Scissor**  
(Curved)  
SB-05-002



**Surgical Scissor**  
(Straight)  
SB-05-011



**Surgical Scissor**  
(Curved)  
SB-05-012



**Abbey Sub Needle**  
17.5cm  
SB-05-015




**Willson Hey Forceps**  
(Straight)  
SB-05-020

**Richie Forceps**  
(Straight)  
SB-05-038



**Willson Hey Forceps**  
(Curved)  
SB-05-022



**Artery Forceps**  
(Straight)  
SB-05-026



**Artery Forceps**  
(Curved)  
SB-05-028



# Diathermy Instruments

Adson



SB-06-001

Mcdone



SB-06-002

Gillie



SB-06-003

Dissecting Forceps



SB-06-004

32

Gerald (1x2)



SB-06-005

Adson Bayonet



SB-06-006

Adson Bayonet

Angle Up



SB-06-016

Remington Hob



SB-06-019





Artery Forceps Bi-Clamp

**SB-18-004-25**



Artery Forceps Non Stick

**SB-18-006-25**




Artery Forceps

**SB-17-004-25**



Artery Forceps

**SB-17-001-25**



Silicone Bi-Clamp Connecting cord

# Bipolar Electrodes

34



**Straight**

**SB-14-001**

**Angled**

**SB-14-002**

**Angled**

**SB-14-003**

**Angled 45°**

**SB-14-004**

**Angled 90°**

**SB-14-005**



**Bi-Turbinate Probe**

**Size: 17.5cm**

**SB-14-028**

## Electrodes 2.4mm



**Blade Electrode**  
Disposable: 03-001



**Ball Electrode (3.0 mm)**  
Disposable: 03-007



**Circle Loop Electrode 4.0 mm**  
Reusable: 04-001



**Ball Electrode (crv.) (3.0 mm)**  
Disposable: 03-008



**Blade Electrode (crv.)**  
Disposable: 03-002



**Circle Loop Electrode 4.0 mm**  
Reusable: 04-001



**Needle Electrode**  
Disposable: 03-003



**Ball Electrode (4.0 mm)**  
Disposable: 03-009



**Circle Loop Electrode 8.0 mm**  
Reusable: 04-003



**Needle Electrode (crv.)**  
Disposable: 03-004



**Ball Electrode (crv.) (4.0 mm)**  
Disposable: 03-010



**Diamond Electrode 8.0 mm**  
Reusable: 04-002



**Ball Electrode (2.0 mm)**  
Disposable: 03-005



**Ball Electrode (5.0 mm)**  
Disposable: 04-011



**Ball Electrode (crv.) (2.0 mm)**  
Disposable: 03-006



**Ball Electrode (crv.) (5.0 mm)**  
Disposable: 03-012



**Tip Cleaner 03-35**



**Blade Electrode (Shaft 13.0 cm)**  
Disposable: 03-013



**Blade Electrode (Shaft 13.0 cm)**  
Disposable: 03-015




**Blade Electrode (Shaft 13.0 cm)**  
Disposable: 03-017



**Blade Electrode (Shaft 13.0 cm)**  
Disposable: 03-023



**Conization Electrode**  
Disposable: 03-025




**Holster 03-38**

# Conization Electrodes



Conization Electrode  
Disposable #03-026



Conization Electrode  
Disposable #03-027



Conization Electrode  
Disposable #03-029



Conization Electrode  
Disposable #03-030



Conization Electrode  
Disposable #03-030



Extender Electrode  
# 03-032 Size: 7.0 cm



Extender Electrode  
#03-033 Size:13.0 cm



Extender Electrode #03-034 Size:18.0 cm

## Electrodes 4.0mm



**Blade Electrode**  
Reusable 20-001



**Ball Electrode**  
Reusable 20-007



**Blade Electrode (Crv)**  
Reusable 20-002



**Ball Electrode (Crv) 3mm**  
Reusable 20-008



**Needle Electrode**  
Reusable 20-003



**Ball Electrode (4mm)**  
Reusable 20-009



**Needle Electrode (Crv)**  
Reusable 20-004



**Ball Electrode (Crv) (4mm)**  
Reusable 20-010



**Ball Electrode (2mm)**  
Reusable 20-005



**Ball Electrode (5mm)**  
Reusable 20-011



**Ball Electrode (Crv) (2mm)**  
Reusable 20-006



**Ball Electrode (Crv) (5mm)**  
Reusable 20-012



**Blade Electrode (Shaft 13.0cm)**  
Reusable 20-018



**Needle Electrode (Shaft 13.0cm)**  
Reusable 20-019



**Ball Electrode 3mm (Shaft 13.0 cm)**  
Reusable 20-020



**Ball Electrode 4mm (Shaft 13.0cm)**  
Reusable 20-021



**Ball Electrode 5mm (Shaft 13.0cm)**  
Reusable 20-022



**Round Loop Electrode**  
(7.0cm) 4.0mm  
Reusable 20-013




**Round Loop Electrode**  
(7.0cm) 6.0mm  
Reusable 20-014



**Round Loop Electrode**  
(7.0cm) 8.0mm  
Reusable 20-015



**Round Loop Electrode**  
(7.0cm) 10.0mm  
Reusable 20-016



**Plate Electrode Small**  
Reusable 201-016



**Plate Electrode Large**  
Reusable 20-017

# Patient Return Plate

**Patient Return Plate Reusable**  
5m Cable #25-001



38



**Patient Return Plate Reusable**  
(5m Cable) 25-002



**Patient Return Cable**  
25-006-a (5m cable)  
25-006-b (3m Cable)



**Patient Return Cable**  
25-007-a (5m cable)  
25-007-b (3m Cable)



**S.S Patient Return Plate**  
(16x12cm)25-003

## WITHOUT SUCTION



**15-001** L-Hook Electrode (36cm)



**15-002** J-Hook Electrode (36cm)



**15-003** Needle-Hook Electrode (36cm)



**15-004** Spatula-Hook Electrode (36cm)



**15-005** Ball-Hook Electrode (36cm)

## WITH SUCTION



**15-006** L-Hook Electrode  
(Irrigation) (36cm)



**15-007** J-Hook Electrode  
(Irrigation) (36cm)



**15-008** Needle-Hook Electrode  
(Irrigation) (36cm)



**15-009** Spatula-Hook Electrode  
(Irrigation) (36cm)



**15-010** Ball-Hook Electrode  
(Irrigation) (36cm)

## Laparoscopic Electrodes



## Electrosurgical Instruments for Gynecology



**Graves Vaginal Speculum**  
with smoke evacuation tube  
**Small:** 21-001  
**Medium:** 21-002  
**Large:** 21-003



**VU-Max Speculum**  
with smoke evacuation tube  
**Small:** 21-011  
**Medium:** 21-012  
**Large:** 21-013



**Pederson Vaginal Speculum**  
with smoke evacuation tube  
**Small:** 21-041  
**Medium:** 21-042  
**Large:** 21-043

40



**VU-More (Graves) Speculum**  
with smoke evacuation tube  
**Small:** 21-031  
**Medium:** 21-032  
**Large:** 21-033

**Cusco Speculum**  
with smoke evacuation tube  
**Small:** 21-021  
**Medium:** 21-022  
**Large:** 21-023



**Collin Speculum**  
with smoke evacuation tube  
**Small:** 21-051  
**Medium:** 21-052  
**Large:** 21-053





## Electrosurgical Instruments for Gynecology



**Weisman Speculum  
with Suction (Left Open)**  
**Small:** 21-061  
**Medium:** 21-062  
**Large:** 21-063



**Weisman Speculum  
with Suction (Right Open)**  
**Small:** 21-071  
**Medium:** 21-072  
**Large:** 21-073



**Dressing Forceps**  
23-001 (21.0 cm)  
23-001 (25.0 cm)



**Tissue Forceps**  
23-003 (21.0 cm)  
23-004 (25.0 cm)



**Iris Hook**  
23-005 (25.0 cm)



**Emmet Hook**  
23-006 (25.0 cm)



**Straight Hook**  
23-007 (25.0 cm)



**Two-Prong Hook**  
23-008 (25.0 cm)



## Electrosurgical Instruments for Gynecology



**Lateral Vaginal  
Retractor - #22-001**



**Kogan Endocervical  
Speculum - #22-003**



**Lateral Vaginal Retractor  
(wide-Open) #22-006**

42



**Rigby Retractor  
22-007**



**Rigby Retractor  
22-005**



3mm 130-133



4mm 130-134



3mm 130-133

## Electrosurgical Instruments for Gynecology



**Kogan Endocervical  
Speculum**  
SB-#25-003

**Lateral Vaginal  
Retractor**  
SB-#25-001



**Graves Speculum**  
with smoking evacuation tube  
Small: 21-001  
Medium: 21-002  
Large: 21-003



**Pederson Graves Speculum**  
with smoking evacuation tube  
Small: 21-001  
Medium: 21-002  
Large: 21-003

**Collin Speculum**  
with smoking evacuation tube  
Small: 24-051  
Medium: 24-052  
Large: 24-053





  
**EHI**  
Enterprises  
Electro Surgical Instruments

P.O Kharota Propi 51310 Sialkot Pakistan  
Telephone / Fax: +92 052 4360529  
Cell No: +92 333 8619171  
 Whatsapp: +39 339 3917686

